

Ideal Constraints - A Warning Note

Antonio S de Castro

UNESP - Campus de Guaratinguetá - Caixa Postal 205 - 12500000 Guaratinguetá -
SP - Brasil

Abstract. A criticism against the conception adopted by some textbook's authors concerning ideal constraints is presented. The criticism is strengthen with two traditional examples.

Constraints are restrictions that limit the motion of the particles of a system. The forces necessary to constrain the motion are said to be forces of constraint. The constraints whose unknown forces of constraint can be eliminated are called ideal constraints. The principle of virtual work and D’Alambert’s principle are of paramount importance in pedagogical presentations of analytical mechanics because they are readily derived from Newton’s laws and because they enable us to get rid of the unknown forces of constraint from the equations of motion as well. Furthermore, these principles are starting points for obtaining Lagrange’s equations of motion. To obtain the principle of virtual work and D’Alambert’s principle textbook’s authors quite generally consider the virtual work done on a system of N particles:

$$\delta W = \sum_{i=1}^N \vec{F}_i^{(e)} \cdot \delta \vec{r}_i + \sum_{i=1}^N \vec{f}_i \cdot \delta \vec{r}_i$$

where the force on each particle is written as the externally applied force $\vec{F}_i^{(e)}$ plus the force of constraint $\vec{f}_i$. The principle of virtual work is applied only to static problems whereas D’Alambert’s principle is applied to dynamical situations. The difference between these principles is not highlighted in this note neither is relevant to the discussion which follows because the attention is focused on the desembarrassment of the unwanted forces of constraint. Hauser [1] argues that “*If the $\delta \vec{r}_i$ ’s are chosen so that any constraints which exist between the coordinates of the particles are satisfied, the constraint forces $\vec{f}_i$ acting on the particles will be perpendicular to the displacements $\delta \vec{r}_i$.*” Similarly Lanczos [2] argues that “*The vanishing of this scalar product means that the force $\vec{f}_i$ is perpendicular to any possible virtual displacement.*” Taylor [3] also argues that “*One thing known about otherwise unknown forces of constraint and that is that they always act at right angles to any conceivable displacement consistent with the constraint under the condition of “stopped time”, i.e., to any virtual displacement.*” In the same line of reasoning Chow [4] claims that “*Most of the constraints that commonly occur, such as sliding motion on a frictionless surface and rolling contact without slipping, do no work under a virtual displacement, that is*

$$\vec{f}_i \cdot \delta \vec{r}_i = 0 \quad (4.8)$$

This is practically the only possible situation we can imagine where the forces of constraint must be perpendicular to $\delta \vec{r}_i$; otherwise, the system could be spontaneously accelerated by the forces of constraint alone, and we know that this does not occur...”

Indeed, the statements cited above hold for a system consisting of just one particle. Nevertheless, there is no compelling reason to believe that they are true for a system with more than one particle, and they are not indeed. Let us illustrate this point with two very instructive and traditional problems: the rigid body and the Atwood machine.

A rigid body is a system of particles connected in such a way that the distance between any two particles is invariable. Newton’s third law implies that for any pair of particles the forces of constraint are equals and opposites and besides they are parallel to the relative position vector, whatever the virtual displacements. These facts ensure that the net virtual work of the forces of constraint vanishes.

In the Atwood machine two particles are connected by an inextensible string passing over a pulley. If the string and the pulley are massless and the motion is frictionless then the forces of constraint will reduce to the tension in the string. The virtual displacements of the particles compatible with the constraint will be in the vertical direction and so will the forces of constraint. The virtual works of the forces of constraint on each particle are the same, unless a sign, ensuring that the net virtual work done by the forces of constraint vanishes.

It is worthwhile to observe that the conclusions obtained through the former examples do not depend of the state of movement of the particles, *i.e.*, if it is a static or a dynamical problem, in this way such conclusions are suitable to the principle of virtual work as well as to D'Alembert's principle.

From the previous two examples one can draw the lesson that in order to eliminate the forces of constraint is solely required that the net virtual work vanishes:

$$\sum_{i=1}^N \vec{f}_i \cdot \delta \vec{r}_i = 0$$

This less restrictive condition allows forces of constraint not perpendicular to $\delta \vec{r}_i$, for systems with more than one particle, without implying in spontaneous accelerated motion.

In short, there is absolutely no need for resorting to erroneous restrictions on the forces of constraint, as those ones presented by Hauser, Lanczos, Taylor and Chow, in order to eliminate them from the analytical formulations of the classical mechanics. Ideal constraints are those which the net virtual work on the entire system is zero whatever the relative orientation among the forces of constraint and the virtual displacements. This proviso is sufficient enough to ensure that the system is not spontaneously accelerated.

- [1] Hauser W 1965 *Introduction to the Principles of Mechanics* (Reading: Addison-Wesley) p 313
- [2] Lanczos C 1970 *The Variational Principles of Mechanics* 4th ed (Toronto: Toronto) p 76
- [3] Taylor T T 1976 *Mechanics: Classical and Quantum* (Oxford: Pergamon) p 31
- [4] Chow T L 1995 *Classical Mechanics* (New York: Wiley) p 104